

Egismos *DATASHEET*

635nm Compact Laser Diode Modules Key features

Visible light $\lambda = 635\text{nm}$
 Output powers = 5mW
 Package type = 5.6mm Φ
 High reliability



SS-D6-5-635-5

Applications

Laser Pointer
 Bar Code Reader
 Laser Module

Laser Diode Solutions

SS-D6-5-635-5-N is a MOCVD grown 635nm band InGaAlP laser diode with quantum well structure. It's an attractive light source, with a typical light output power of 5mW for optoelectronic devices such as Optical Leveler and Modules

Electrical and Optical Characteristics at $T_c = 25^\circ\text{C}$

Item	Symbols	Min.	Typ.	Max.	Unit	Condition
Optical Output Power	Po	-	5	-	mW	-
Threshold Current	I _{th}	-	30	40	mA	-
Operating Current	I _{op}	-	34	50	mA	Po=5mW
Operating Voltage	V _{op}	-	2.2	2.7	V	Po=5mW
Lasing Wavelength	λ_p	630	635	640	nm	Po=5mW
Beam Divergence	$\Theta_{//}$	6	8	12	deg	Po=5mW
	Θ_{\perp}	28	34	40	deg	Po=5mW
Beam Angle	$\Delta\Theta_{//}$	-	-	± 1.5	deg	Po=5mW
	$\Delta\Theta_{\perp}$	-	-	± 2.5	deg	Po=5mW
Monitor Current	I _m	0.1	0.15	0.5	mA	Po=5mW
Optical Distance	$\Delta X, \Delta Y, \Delta Z$	-	-	± 60	μm	-

Egismos

<http://www.egismos.com>
 TEL: +1-888-3481454
 FAX: +1-604-4339864
 E-Mail: sales@egismos.com

Egismos *DATASHEET*


Absolute Maximum Rating at Tc=25°C

Items	Symbols	Values	Unit
Optical Output Power	P	6	mW
Laser Diode Reverse Voltage	V	2	v
Photo Diode Reverse Voltage	V	30	v
Operating Temperature	To	-10~+50	°C
Storage Temperature	Ts	-40~+85	°C




SS-D6-5-635-5


Electrical Connection




Package Type



P type (P,U,C)



M type (M,R)



N type (N,L,A)

Egismos

<http://www.egismos.com>


TEL:+1-888-3481454

FAX:+1-604-4339864



E-Mail:sales@eGismos.com

Egismos *DATASHEET*

Laser Diode Package Drawing



SS-D6-5-635-5



Egismos

<http://www.egismos.com>


TEL: +1-888-3481454

FAX: +1-604-4339864



E-Mail: sales@egismos.com

EGISMOS *DATASHEET*

Example of Representative Characteristics I



SS-D6-5-635-5



EGISMOS

<http://www.egismos.com>

TEL:+1-888-3481454

FAX:+1-604-4339864




E-Mail:sales@eGismos.com

Egismos *DATASHEET*

Example of Representative Characteristics II



SS-D6-5-635-5



Egismos

<http://www.egismos.com>

TEL: +1-888-3481454

FAX: +1-604-4339864

E-Mail: sales@egismos.com